

Homework 18 Answer Key

1. $f'(x) = e^x + e^{-x}(-1) + ex - e^{-1} + \frac{1}{e} + 0 - 2ex^{-3} + e - \frac{3}{e^3}x^{-4}$

$\int f(x) dx = e^x + \frac{e^{-x}}{-1} + \frac{x^{e+1}}{e+1} + \frac{-e+1}{-e+1} + \frac{1}{e} \cdot \frac{x^2}{2} + e \cdot x + e \cdot \frac{x^{-1}}{-1} + e \cdot \frac{x^2}{2} + \frac{1}{e^3} \cdot \frac{x^{-2}}{-2} + C$

2. $f'(x) = e^{7x} \cdot 7 + \frac{1}{7} e^{-7x} (-7) + 0 + 7e^{-x}(-1) + 0 + e^{7-x}(-1) + e^{-7+x}(1) + e^{\sqrt{7x}} \cdot \frac{1}{2\sqrt{7-x}}(-1)$

3. $f'(x) = e^{tan x} \cdot sec^2 x + e^{-sec x} \cdot (-sec x \tan x)$

4. $f'(x) = e^{-tan x} \cdot (-sec^2 x) + [sec(e^x) \cdot tan(e^x)] \cdot e^x$

5. $f'(x) = -\sin\sqrt{e^x+e^7} \cdot \frac{1}{2\sqrt{e^x+e^7}} \cdot e^x + e^{\sqrt{7x+7\cos x}} \cdot \frac{1}{2\sqrt{7x+7\cos x}} \cdot (7-7\sin x) + \dots$

Continued $\dots + \frac{1}{2\sqrt{e^{7x}-\sin x}} \cdot (e^{7x} \cdot 7 - \cos x)$

6. $f'(x) = e^{-\sqrt{7x+7\sin x}} \cdot \frac{-1}{2\sqrt{7x+7\sin x}} \cdot (7+7\cos x) - \frac{1}{2} (e^{7x}-\sin x)^{-\frac{3}{2}} (e^{7x} \cdot 7 - \cos x)$

7. $-\frac{2}{e^{1+\sqrt{x}}} + C$

13. $f(x) = 3e^x - 5\sin x + 4x - 2$

8. $\frac{e^{-3x}}{-3} + 2x + \frac{e^{3x}}{3} + C$

14. 0

20. 10

9. $-\frac{1}{3(1+e^{3x})} + C$

15. 1

21. $\frac{7-\ln 6}{4}$

10. $\frac{1}{15(1+e^{-3x})^5} + C$

16. 5

22. $\frac{e^2+10}{3}$

11. $\frac{(1+e^{3x})^7}{21} + C$

17. 6
18. 36
19. $\frac{1}{16}$

12. $\frac{e^{3x}}{3} - \frac{1}{e^x} - \frac{1}{2e^{2x}} - \frac{1}{6e^{6x}} + C$