

Homework #13Due **Friday, March 14th** in Gradescope by 11:59 pm ET**Goal:** Computing Definite Integrals using the FTC and also u -substitution.1. Compute $\int_{-2}^3 3 - 4x - x^2 \, dx$ using Two different methods.

- (a) Fundamental Theorem of Calculus
 (b) Limit Definition of the Definite Integral.

Compute the following Indefinite Integrals. Simplify.

- | | | |
|--|--|--|
| 2. $\int x^2 (1 - x^3)^7 \, dx$ | 3. $\int \frac{x^4}{(x^5 - 3)^8} \, dx$ | 4. $\int \sec(3x) \tan(3x) \, dx$ |
| 5. $\int x^2 \cos(x^3 - 6) \, dx$ | 6. $\int \frac{\sec^2\left(\frac{1}{x}\right)}{x^2} \, dx$ | 7. $\int \cos^4 x \cdot \sin x \, dx$ |
| 8. $\int x\sqrt{4 - x^2} \, dx$ | 9. $\int \frac{x}{\sqrt{4 - x^2}} \, dx$ | 10. $\int \frac{\sin \sqrt{x}}{\sqrt{x}} \, dx$ |
| 11. $\int \frac{\cos x}{\sin^2 x} \, dx$ | 12. $\int \sqrt{x} \cdot \cos\left(9 + x^{\frac{3}{2}}\right) \, dx$ | 13. $\int \frac{\cos x + \sin x}{(\cos x - \sin x)^3} \, dx$ |

Compute the following Definite Integrals. Simplify. Remember to *mark OR change your limits*

- | | | |
|---|---|--|
| 14. $\int_{\frac{\pi}{6}}^{\frac{\pi}{3}} \cos(4x) \, dx$ | 15. $\int_{2\pi}^{6\pi} \sin\left(\frac{x}{6}\right) \, dx$ | 16. $\int_{\frac{\pi}{4}}^{\frac{\pi}{3}} \frac{\sec^2 x}{\tan^3 x} \, dx$ |
|---|---|--|
17. If $w'(t)$ is the rate of growth of a child in pounds per year, what does $\int_5^{10} w'(t) \, dt$ represent?
18. Consider velocity for a particle moving on a line given by $v(t) = 3t - 6$ meters per second.
- Compute both (a) the Displacement and (b) the Total Distance traveled by the particle when $0 \leq t \leq 3$.
 - Sketch both $v(t)$ and $|v(t)|$.

The second sketch $|v(t)|$ will help you figure out the Absolute Value cases for the Total Distance formula.

REGULAR OFFICE HOURS

Monday: 12:00–3:00 pm

7:30–9:00 pm TA Andrew, SMUDD 207

Tuesday: 1:00–4:00 pm

Wednesday: 1:00–3:00 pm

Thursday: none for Professor

8:00–9:30 pm TA Andrew, SMUDD 208A

Friday: 12:00–2:00 pm

- Check that you substitute all pieces. Check constants carefully.
- Definite Integral is a value. Indefinite Integral is a collection of functions.
 - Grab an extra hour a day to study. Happy Spring Break!