

- This is a closed-book examination. No books, notes, calculators, cell phones, communication devices of any sort, or other aids are permitted.
- Numerical answers such as  $\sin\left(\frac{\pi}{6}\right)$ ,  $4^{\frac{3}{2}}$ ,  $e^{\ln 4}$ ,  $\ln(e^7)$ ,  $e^{3\ln 3}$ ,  $\arctan\sqrt{3}$  or  $\cosh(\ln 3)$  should be simplified.
- Please *show* all of your work and *justify* all of your answers. (You may use the backs of pages for additional work space.)

**1.** [20 Points] Find the **Interval** and **Radius** of Convergence for each of the following power series. Analyze carefully and with full justification.

(a)  $\sum_{n=1}^{\infty} \frac{(-1)^n (3x-4)^n}{5^n \sqrt{n}}$                       (b)  $\sum_{n=1}^{\infty} n! (x-6)^n$                       (c)  $\sum_{n=1}^{\infty} \frac{x^n}{(2n)!}$

**2.** [12 Points] Find the **MacLaurin series** representation for each of the following functions. **State** the Radius of Convergence for each series. Your answer should be in sigma notation. Simplify.

(a)  $f(x) = x^3 \ln(1+2x)$                       (b)  $f(x) = 1 - \cos(x^2)$

**3.** [10 Points] Use the MacLaurin Series representation for  $f(x) = x \sin(x^2)$  to

**Estimate**  $\int_0^1 x \sin(x^2) dx$  with error less than  $\frac{1}{10}$ .

Justify in words that your error is indeed less than  $\frac{1}{10}$ .

**4.** [8 Points] Estimate  $\arctan\left(\frac{1}{2}\right)$  with error less than  $\frac{1}{100}$ . Justify.

**5.** [20 Points] Find the **sum** for each of the following series. Simplify, if possible.

(a)  $1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \dots$                       (b)  $\sum_{n=0}^{\infty} \frac{(-1)^n \pi^{2n}}{36^n (2n+1)!}$                       (c)  $\sum_{n=0}^{\infty} \frac{(-1)^n (\ln 27)^n}{3^{n+1} n!}$

(d)  $1 - e + \frac{e^2}{2!} - \frac{e^3}{3!} + \frac{e^4}{4!} - \frac{e^5}{5!} + \dots$  (e)  $\frac{1}{e} - \frac{1}{2e^2} + \frac{1}{3e^3} - \frac{1}{4e^4} + \frac{1}{5e^5} - \dots$  (f)  $-\frac{\pi^2}{2!} + \frac{\pi^4}{4!} - \frac{\pi^6}{6!} + \frac{\pi^8}{8!} - \dots$

**6.** [18 Points] Volumes of Revolution

(a) Consider the region bounded by  $y = \arctan x$ ,  $y = \frac{\pi}{4}$ , and  $x = 0$ . Rotate this region about the horizontal line  $y = -1$ . Set-up, **BUT DO NOT EVALUATE!!**, the integral to compute the volume of the resulting solid using the Washer Method. Sketch the solid, along with one of the approximating washers.

(b) Consider the region bounded by  $y = \ln x$ ,  $y = 2$ , and  $x = 10$ . Rotate this region about the vertical line  $x = -1$ . Set-up, **BUT DO NOT EVALUATE!!**, the integral to compute the volume of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating shells.

(c) Consider the region bounded by  $y = 2 + e^x$ ,  $y = \cos x$ ,  $x = 0$  and  $x = \frac{\pi}{2}$ . Rotate this region about the vertical line  $x = 5$ . Set-up, **BUT DO NOT EVALUATE!!**, the integral to compute the volume of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating shells.

**7.** [12 Points] Parametric Equations

Consider the Parametric Curve given by  $x = \ln t + \ln(1 - t^2)$  and  $y = \sqrt{8} \arcsin t$ .

**COMPUTE** the **Arclength** of this parametric curve for  $\frac{1}{4} \leq t \leq \frac{1}{2}$ . **SHOW** that the answer simplifies to  $\ln\left(\frac{5}{2}\right)$

\*\*\*\*\*

## OPTIONAL BONUS

Do not attempt these unless you are completely done with the rest of the exam.

\*\*\*\*\*

**OPTIONAL BONUS #1** Compute  $\sum_{n=0}^{\infty} \frac{n^3(\ln 3)^n}{n!}$

**OPTIONAL BONUS #2** Compute  $\sum_{n=3}^{\infty} \frac{(-1)^n}{(2n+1)3^n}$

**OPTIONAL BONUS #3** Find the sum of the Power Series  $\sum_{n=0}^{\infty} \frac{(x+2)^n}{(n+3)!}$