

**Math 121    Final Exam    May 13, 2015**

- This is a closed-book examination. No books, notes, calculators, cell phones, communication devices of any sort, or other aids are permitted.
- You need *not* simplify algebraically complicated answers. However, numerical answers such as  $\sin\left(\frac{\pi}{6}\right)$ ,  $4^{\frac{3}{2}}$ ,  $e^{\ln 4}$ ,  $\ln(e^7)$ ,  $e^{-\ln 5}$ ,  $e^{3\ln 3}$ ,  $\arctan(\sqrt{3})$ , or  $\cosh(\ln 3)$  should be simplified.
- Please *show* all of your work and *justify* all of your answers. (You may use the backs of pages for additional work space.)

**1.** [15 Points] Evaluate each of the following **limits**. Please justify your answers. Be clear if the limit equals a value,  $+\infty$  or  $-\infty$ , or Does Not Exist.

(a)  $\lim_{x \rightarrow 0} \frac{\ln(1-x) + x}{\cosh(4x) - \arctan(3x) - e^{-3x}}$       (b)  $\lim_{x \rightarrow \infty} \left( e^{\frac{1}{x^3}} - \frac{5}{x^3} \right)^{x^3}$

**2.** [30 Points] Evaluate each of the following **integrals**.

(a)  $\int \frac{x^4 + 3x^3 + 6x^2 + 6x + 5}{x^3 + x^2 + 2x + 2} dx = \int \frac{x^4 + 3x^3 + 6x^2 + 6x + 5}{(x+1)(x^2+2)} dx$       (b)  $\int_2^{2\sqrt{3}} \frac{1}{\sqrt{16-x^2}} dx$

(c)  $\int \frac{x^2}{\sqrt{16-x^2}} dx$       (d)  $\int_0^{\frac{\pi}{2}} \frac{\cos x}{[1 + \sin^2 x]^{\frac{7}{2}}} dx$

**3.** [25 Points] For each of the following **improper integrals**, determine whether it converges or diverges. If it converges, find its value.

(a)  $\int_6^{\infty} \frac{1}{x^2 - 10x + 28} dx$       (b)  $\int_0^{\frac{1}{2}} \frac{1}{\sqrt{1-x^2} \cdot \arcsin x} dx$

(c)  $\int_1^{\infty} \frac{1}{x^2 + 5x + 6} dx$       (d)  $\int_0^1 x \ln x dx$

**4.** [15 Points] Find the **sum** of each of the following series (which do converge):

(a)  $\sum_{n=1}^{\infty} \frac{(-1)^n 7^{n+1}}{3^{3n-1}}$       (b)  $\sum_{n=0}^{\infty} \frac{(-1)^{n+1} 2^{n+1} (\ln 5)^n}{n!}$       (c)  $\sum_{n=0}^{\infty} \frac{(-1)^n \pi^{2n-1}}{3 (2n)!}$

(d)  $1 - \frac{1}{2} + \frac{1}{3} - \frac{1}{4} + \frac{1}{5} - \frac{1}{6} + \dots$       (e)  $1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \dots$

**5.** [35 Points] In each case determine whether the given series is **absolutely convergent**, **conditionally convergent**, or **divergent**. Justify your answers.

(a)  $\sum_{n=1}^{\infty} \frac{(-1)^n (n^3 + 7)}{n^7 + 3}$       (b)  $\sum_{n=1}^{\infty} \frac{(-1)^n \arctan(7n)}{n^7 + 7}$       (c)  $\sum_{n=1}^{\infty} n \cdot \arcsin\left(\frac{1}{n}\right)$

(d)  $\sum_{n=1}^{\infty} \frac{(-1)^{n+1} e^{3n} (2n)!}{n^n 4^{2n} (n!)^2}$       (e)  $\sum_{n=1}^{\infty} \frac{(-1)^n n}{n^2 + 4}$

**6.** [15 Points] Find the **Interval** and **Radius** of Convergence for the power series

$$\sum_{n=1}^{\infty} \frac{(-1)^n (\ln n) (4x - 1)^n}{n^2 \cdot 5^n}. \quad \text{Analyze carefully and with full justification.}$$

**7.** [8 Points]

(a) Write the MacLaurin Series for  $f(x) = x^4 \arctan(2x)$ . State the Radius of Convergence for this series.

(b) Use this series to determine the **seventh**, **eighth** and **ninth** derivatives of  $f(x) = x^4 \arctan(2x)$  evaluated at  $x = 0$ . Do **Not** Simplify your answers here in part (b).

**8.** [12 Points] Please analyze with detail and justify carefully. Simplify your answers.

(a) Estimate  $e^{-\frac{1}{3}}$  with error less than  $\frac{1}{100}$ . Justify in words that your error is indeed less than  $\frac{1}{100}$ .

(b) Estimate  $\arctan\left(\frac{1}{2}\right)$  with error less than  $\frac{1}{100}$ . Justify in words that your error is indeed less than  $\frac{1}{100}$ .

(c) Estimate  $\cos(1)$  with error less than  $\frac{1}{10}$ . Justify in words that your error is indeed less than  $\frac{1}{10}$ .

**9.** [15 Points]

(a) Consider the region bounded by  $y = e^x - 1$ ,  $y = 3$ ,  $x = 0$ . Rotate the region about the vertical line  $x = -1$ . **Set-Up** but **DO NOT EVALUATE** the integral representing the **volume** of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating cylindrical shells.

(b) Consider the region bounded by  $y = \arcsin x$ ,  $y = 1$ , and  $x = 0$ . Rotate the region about the vertical line  $x = 5$ . **Set-Up** but **DO NOT EVALUATE** the integral representing the **volume** of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating cylindrical shells.

(c) Consider the region bounded by  $y = \arctan x$ ,  $y = 4$ ,  $x = 0$  and  $x = 1$ . Rotate the region about the  $y$ -axis. **COMPUTE** the **volume** of the resulting solid using the Cylindrical Shells Method. Sketch the solid, along with one of the approximating cylindrical shells.

**10.** [15 Points]

(a) Consider the Parametric Curve represented by  $x = (\arctan t) - t$  and  $y = 2 \sinh^{-1} t$ .

**COMPUTE** the **arclength** of this parametric curve for  $0 \leq t \leq \sqrt{3}$ .

$$\text{Recall } \frac{d}{dx} \sinh^{-1} x = \frac{1}{\sqrt{1+x^2}}$$

(b) Consider a *different* Parametric Curve represented by  $x = t + \frac{1}{t}$  and  $y = \ln(t^2)$ . **COMPUTE** the **surface area** obtained by rotating this curve about the  $y$ -axis, for  $1 \leq t \leq 2$ .

**11.** [15 Points] Compute the **area** bounded outside the polar curve  $r = 1 + \sin \theta$  and inside the polar curve  $r = 3 \sin \theta$ . **Sketch** the Polar curves **and** shade the bounded area.