


**Homework #7**Due **Wednesday, September 28th** in Gradescope by 11:59 pm ET**Goal:** Exploring Trigonometric Integrals and Trigonometric Substitution**FIRST:** Read through and understand the following two Examples.

Ex:

$$\begin{aligned}
\int \frac{1}{[1+x^2]^{\frac{7}{2}}} dx &= \int \frac{1}{(1+\tan^2\theta)^{\frac{7}{2}}} \cdot \sec^2\theta d\theta = \int \frac{1}{(\sec^2\theta)^{\frac{7}{2}}} \cdot \sec^2\theta d\theta \\
&= \int \frac{1}{(\sqrt{\sec^2\theta})^7} \cdot \sec^2\theta d\theta = \int \frac{1}{(\sec\theta)^7} \cdot \sec^2\theta d\theta \\
&= \int \frac{\sec^2\theta}{\sec^7\theta} d\theta = \int \frac{1}{\sec^5\theta} d\theta \\
&= \int \cos^5\theta d\theta = \int \cos^4\theta \cos\theta d\theta \\
&= \int (1-\sin^2\theta)^2 \cos\theta d\theta = \int (1-w^2)^2 dw \\
&= \int 1-2w^2+w^4 dw = w - \frac{2w^3}{3} + \frac{w^5}{5} + C \\
&= \sin\theta - \frac{2\sin^3\theta}{3} + \frac{\sin^5\theta}{5} + C \\
&= \boxed{\frac{x}{\sqrt{1+x^2}} - \frac{2}{3} \left(\frac{x}{\sqrt{1+x^2}}\right)^3 + \frac{1}{5} \left(\frac{x}{\sqrt{1+x^2}}\right)^5 + C}
\end{aligned}$$

Trig. Sub	$x = \tan\theta$ $dx = \sec^2\theta d\theta$		$w = \sin\theta$ $dw = \cos\theta d\theta$
-----------	---	---	---


Continue to NEXT Page

Ex:

$$\begin{aligned}
 \int \frac{x^2}{\sqrt{4-x^2}} dx &= \int \frac{(2 \sin \theta)^2}{\sqrt{4-4 \sin^2 \theta}} 2 \cos \theta d\theta = \int \frac{4 \sin^2 \theta}{\sqrt{4(1-\sin^2 \theta)}} 2 \cos \theta d\theta \\
 &= 4 \int \frac{\sin^2 \theta}{\sqrt{4} \sqrt{\cos^2 \theta}} 2 \cos \theta d\theta = 4 \int \frac{\sin^2 \theta}{2 \cos \theta} 2 \cos \theta d\theta \\
 &= 4 \int \sin^2 \theta d\theta = 4 \int \frac{1-\cos(2\theta)}{2} d\theta \\
 &= 2 \int 1-\cos(2\theta) d\theta = 2 \left( \theta - \frac{\sin(2\theta)}{2} \right) + C \\
 &= 2 \left( \theta - \frac{2 \sin \theta \cos \theta}{2} \right) + C = 2(\theta - \sin \theta \cos \theta) + C \\
 &= \boxed{2 \left[ \arcsin \left( \frac{x}{2} \right) - \left( \frac{x}{2} \right) \left( \frac{\sqrt{4-x^2}}{2} \right) \right] + C}
 \end{aligned}$$

Trig. Substitute

$$\boxed{
 \begin{aligned}
 x &= 2 \sin \theta \\
 dx &= 2 \cos \theta d\theta
 \end{aligned}
 }$$



Compute each of the following Integrals. Simplify.

$$1. \int \sin^2 x \cos^3 x dx \quad 2. \int_0^{\frac{\pi}{2}} \sin^5 x dx \quad 3. \int_0^{\frac{\pi}{2}} \cos^2 \theta d\theta$$

$$4. \int_0^{\frac{\pi}{2}} \sin^2 x \cos^2 x dx \quad 5. \int x \sin^2 x dx \quad 6. \int_0^1 x^3 \sqrt{1-x^2} dx \quad \text{use Trig Sub}$$

$$7. \int \sqrt{9-x^2} dx \quad 8. \int \frac{1}{(4+x^2)^{\frac{5}{2}}} dx \quad 9. \int x \arcsin x dx$$

# REGULAR OFFICE HOURS

**Monday: 12:00–3:00 pm**

7:30–9:00 pm TA Aidee, SMUDD 206

9:00–10:30 pm TA Mia, SMUDD 206

**Tuesday: 1:00–4:00 pm**

6–7:30 pm TA Admire, SMUDD 206

7:30–9:00 pm TA Karime, SMUDD 206

9–10:30 pm TA Ali, SMUDD 206

**Wednesday: 1:00–3:00 pm**

6–7:30 pm TA Admire, SMUDD 206

7:30–9:00 pm TA Ali, SMUDD 206

**Thursday: none for Professor**

1–2:30 pm TA Mia, SMUDD 205

7:30–9:00 pm TA Aidee, SMUDD 206

9–10:30 pm TA Karime, SMUDD 207

**Friday: 12:00–2:00 pm**

This is the end of exam #1 material

Go to office hours and also go to Math Fellow TA hours