


Homework #7Due **Friday, September 27th** in Gradescope by 11:59 pm ET**Goal:** Exploring Trigonometric Integrals and Trigonometric Substitution**FIRST:** Read through and understand the following two Examples.

Ex:

$$\begin{aligned}
\int \frac{1}{[1+x^2]^{\frac{7}{2}}} dx &= \int \frac{1}{(1+\tan^2\theta)^{\frac{7}{2}}} \cdot \sec^2\theta d\theta = \int \frac{1}{(\sec^2\theta)^{\frac{7}{2}}} \cdot \sec^2\theta d\theta \\
&= \int \frac{1}{(\sqrt{\sec^2\theta})^7} \cdot \sec^2\theta d\theta = \int \frac{1}{(\sec\theta)^7} \cdot \sec^2\theta d\theta \\
&= \int \frac{\sec^2\theta}{\sec^7\theta} d\theta = \int \frac{1}{\sec^5\theta} d\theta \\
&= \int \cos^5\theta d\theta = \int \cos^4\theta \cos\theta d\theta \\
&= \int (1-\sin^2\theta)^2 \cos\theta d\theta = \int (1-w^2)^2 dw \\
&= \int 1-2w^2+w^4 dw = w - \frac{2w^3}{3} + \frac{w^5}{5} + C \\
&= \sin\theta - \frac{2\sin^3\theta}{3} + \frac{\sin^5\theta}{5} + C \\
&= \boxed{\frac{x}{\sqrt{1+x^2}} - \frac{2}{3} \left(\frac{x}{\sqrt{1+x^2}}\right)^3 + \frac{1}{5} \left(\frac{x}{\sqrt{1+x^2}}\right)^5 + C}
\end{aligned}$$

Trig. Sub


| | | |
|---|---|---|
| $x = \tan\theta$ $dx = \sec^2\theta d\theta$ |  | $w = \sin\theta$ $dw = \cos\theta d\theta$ |
|---|---|---|

Continue to NEXT Page

Ex:

$$\begin{aligned}
 \int \frac{x^2}{\sqrt{4-x^2}} dx &= \int \frac{(2 \sin \theta)^2}{\sqrt{4-4 \sin^2 \theta}} 2 \cos \theta d\theta = \int \frac{4 \sin^2 \theta}{\sqrt{4(1-\sin^2 \theta)}} 2 \cos \theta d\theta \\
 &= 4 \int \frac{\sin^2 \theta}{\sqrt{4} \sqrt{\cos^2 \theta}} 2 \cos \theta d\theta = 4 \int \frac{\sin^2 \theta}{2 \cos \theta} 2 \cos \theta d\theta \\
 &= 4 \int \sin^2 \theta d\theta = 4 \int \frac{1-\cos(2\theta)}{2} d\theta \\
 &= 2 \int 1-\cos(2\theta) d\theta = 2 \left(\theta - \frac{\sin(2\theta)}{2} \right) + C \\
 &= 2 \left(\theta - \frac{2 \sin \theta \cos \theta}{2} \right) + C = 2(\theta - \sin \theta \cos \theta) + C \\
 &= \boxed{2 \left[\arcsin \left(\frac{x}{2} \right) - \left(\frac{x}{2} \right) \left(\frac{\sqrt{4-x^2}}{2} \right) \right] + C}
 \end{aligned}$$

Trig. Substitute $\boxed{\begin{matrix} x = 2 \sin \theta \\ dx = 2 \cos \theta d\theta \end{matrix}}$



Compute each of the following Integrals. Simplify.

1. $\int \sin^2 x \cos^3 x dx$ 2. $\int_0^{\frac{\pi}{2}} \sin^5 x dx$ 3. $\int_0^{\frac{\pi}{2}} \cos^2 \theta d\theta$

4. $\int_0^{\frac{\pi}{2}} \sin^2 x \cos^2 x dx$ 5. $\int x \sin^2 x dx$ 6. $\int_0^1 x^3 \sqrt{1-x^2} dx$ use Trig Sub

7. $\int \sqrt{9-x^2} dx$ 8. $\int \frac{1}{(4+x^2)^{\frac{5}{2}}} dx$ 9. $\int x \arcsin x dx$

REGULAR OFFICE HOURS

Sunday 6:00–9:00 pm TAs Natalie/Oscar, SMUDD 207

Monday: 12:00–3:00 pm

6:00–9:00 pm TAs Aaron/Oscar, SMUDD 207

Tuesday: 1:00–4:00 pm

6–7:30 pm TA Gretta, SMUDD 207

Wednesday: 1:00–3:00 pm

7:30–9:00 pm TA Natalie, SMUDD 207

Thursday: none for Professor

extras may be added, TBD weekly

6–9:00 pm TAs Gretta/DJ, SMUDD 207

Friday: 12:00–3:00 pm

6:00–9:00 pm TAs Aaron/DJ, SMUDD 207

This is the end of exam #1 material

Go to office hours and also you're welcome at Math Fellow TA hours